INDEX

Acaricides, new, 760
Aceria sheldoni, 744
  vaccinii, 727
Acetylcholine esterases, properties of, from bee, fly and mouse, 670
Adams, Charles Frederick, obituary, 574
Adjuvants, exposure of house flies to, 653
Aëdes aegypti, 653
  communis, 354
  excrucians, 354
  flavescens, 354
  pionips, 354
  sollicitans, 506
  sticticus, resistance to insecticides, 945
  taeniorhynchus, 506
  vexans, 37
    habitats of eggs of, 547
    resistance to insecticides, 945
Aerial spray tests on salt marsh mosquitoes, 506
Aerosols, thermal, toxic to mosquitoes, 37
  and sprays by airplane application, 456
  dry, from organic insecticides, 542
Agapostemon cockerelli, 61
Airplane applications of sprays and aerosols, 456
Airplanes, treatment of to prevent insect transportation, 66
Airplanes, insect eggs on, 555
Alabama argillacea, 592
Aldrin, effect on housefly, 864
  effectiveness of against boll weevil, 598
  to control boll weevil, 892
    cabbage maggot, 900
    onion mite, 951
    onion thrips, 911
    meadow spittlebug, 888
    plum curculio, 845
    tomato pests, 886
Aleurocanthus woglumi, 380, 686, 743, 769, 772
Aleurodes proletella, 627
  spiraecoides, 394
Alfalfa seed fields, grasshopper control in, 185
Alfalfa weevil, control with DDT dust, 374
Alfalfa and red clover insects, control of, 488
Allethrin, toxicity of, 207
Almond moth, 733
Alsophila pometaria, 398
Amblyomma americanum, 41, 520
American dog ticks, clothing repellents for, 41
American fruit fly, 746
Anasa tristis, 14, 282
Anastrepha fraterculus, 746
  ludens, 745
Anopheles albimanus, 108
  quadrimaculatus, 516
Anthidium edwardsii, 61
Anthonomus grandis, 282, 286, 288, 488, 591, 593, 596, 602, 606, 727
Antimycin A, toxicology of, 105
Antonina graminis, 386
Anychus clarki, 744
Aonidiella aurantii, 610, 743
  citrina, 744
  taxus, 752
Apanteles fumiferanae, 777
Aphids, control on melon, 444
  walnuts, 448
Aphid, woolly apple in nurseries, 463
Aphids, on cotton, 614
Aphis gossypii, 283, 288, 388, 444, 592, 606, 614, 620, 727, 744
  rumicis, 708
  spiraecola, 742
Aphytis spp., 744
  periodic colonization of for scale control, 755
Aphytis chrysomphali, colonization of to control red scale, 783
  effect of DDT on, 792
  laboratory propagation of, 802
Apis mellifera, 61, 670
Apomictic parasitic Hymeoptera, races of, 719
Apple spray program with nicotine bentonite-DDT combinations, 227
Apple pollen, germinating ability of frozen, 549
Apple flea weevil, control, 948
Archips fumiferana, natural control of, 774
Aschersonia aleyrodes, 751
Argentine ant and citrus, 754
Argyrotaenia citrana, 744
Aspidiotus forbesi, 398
Asterolecanium scales on oaks, control of, 494
Avocados, control of red mite on, 377
Avocado trees infested by *Ozognathus cornutus*, 724
Azobenzene, as an insecticide
  in control of two-spotted mite
  use in aerosol mixtures, 838

Bagworm control by parathion, 109
Beal, James A., note, 546
Benzene hexachloride and potato flavor, 109
  as a flavoring agent on potatoes and tomatoes, 498
  compatibility of with calcium arsenate, 645
  to control cabbage maggot, 900
    onion thrips, 910
    tomato pests, 884
Benzene hexachloride isomers for boll weevil control, 892
Biological control of corn rootworm, 22
  Pseudococcus maritimus on pears, 94
Biological control, early, 750
  manipulated, 755
Black fly larvae, controlled by DDT, 696
  control and ecology of in Pennsylvania, 702
Black scale, 744
Black widow spider, control of, 343
Blueberry bud mite, control by summer oil, 727
Blueberry flea beetle, 287
Blueberry stunt disease, transmitted by leafhoppers, 658
Boll weevil, aldrin to control, 598
Boll weevil, control and defoliation, 488
Boll weevil, control with dusts and sprays, 593
Boll weevil, organic insecticides to control, 892
Bombus pratorum, 59
Bondy, Floyd F., Obituary, 574
Brewer, Erle G., Obituary note, 763
Brown dog tick on rats in Puerto Rico, 722
Brussels sprouts seed loss and cabbage seedpod weevil, 389
Bryobia praetiosa, 309
Burnside, Carlton E., Obituary, 113

Cabbage maggot, insecticides to control, 899
Cabbage seedpod weevil, 389
Calcium arsenate for potato insects, 176
  tomato pests, 884

California red scale, 744
control factors, 786
California red scale, control by parathion and oil, 610
Callitroga americana, 387, 558
Calomel-gypsum to control cabbage maggot, 900
Cankerworms eaten by dragon fly, 398
Carpocapsa pomonella, 724
Ceratitis capitata, 746
Ceutorhynchus assimilis, 389
Chaff scale, 744
Chaoborus astictipus, 328
Cherry sawfly leaf miner, 694
Chilocorus sp., colonized for scale control, 790
Chlordane against termites, 107
to control boll weevil, 892
to control flies, 849
house flies, 856, 864
cabbage maggot, 900
Japanese beetle grubs, 936
DDT-resistant flies, 937
Chlorinated aromatic compounds
insecticidal efficiency, 915
synthesis of, 915
Chlorinated hydrocarbons for grape berry moth, 76
Chlorinated hydrocarbon insecticides, action on *Aëdes* mosquitoes, 945
contamination of meat and milk by, 649
bis (*p*-chlorophenoxy) methane, 746
1,1-bis (*p*-chlorophenyl)-2-nitrobutane, 892
Chromaphis juglandicola, 448
Chrysomphalus ficus, 742
Chrysomyia megacephala, 31
Chrysopa californica
fecundity of, 101
mass culturing of, 97
red mite control by, 820
Citricola scale, 744
Citrophilus mealybug, 744
Citrus blackfly, 746, 758, 761
Chemical control, 768
hosts, 768
toxicity of oils to, 686
Citrus bud mite, 744
Citrus insects resistant to insecticides, 760
Citrus red mite, 742, 744
Citrus red mite, natural enemies of, 807
effect of sprays on, 808
predators of, 810
Citrus rust mite, 742
Citrus scales and mites attacked by fungi, 305
Citrus thrips, 742
Citrus whitefly, 747
Clear Lake gnat, control of, 328
Climate and toxicity of insecticides, 602
Cloudy winged whitefly, 742
Clover root borer, control of, 882
Clover and alfalfa insects, control of, 438
Coccophagus gurneyi, 751
Coccus hesperidum, 744
Coccus pseudomagnoliarum, 744
Codling moth, control in tops of apple trees, 466, 912
Codling moth, fungus diseases of, 956
larvae, effect of parathion on, 474
on walnuts, 383
oocyte studies of, 724
Common names of insects, 117
Compatibility of insecticides, 761
Coniopterygidae, predators on citrus red mites, 815
Comperiella bifasciata, 788
host-determined races, 753
Conotrachelus nenuphar, 70, 73, 157
Conwentzia hageni, predator of citrus red mite, 808
Corn borer, control on sweet corn, 407
insecticides, 433
parasites, 422
rearing of larvae, 4
sprayers for, 198
stalk breakage from, 415
Corn earworm control, 191, 364
by dusts, 1
in sweet corn, 430
Corn earworm and corn borer control combined, 734
Corn earworm damage and soil fertility, 427
Corn pests, control of, 191
Cotinus nitida, 295
Cotton boll weevil, control of, 488
Cotton insect control, 225, 286, 288, 292, 560, 593, 598, 602, 606, 614, 620
Cotton insect insecticides, 727
Cotton insects, control by dieldrin, 590
phosphorus and sulphur to control, 614
timing sprays for, 596
Cottony cushion scale, 742, 750
Craighead, F. C., note, 546
Crambus dorsipunctatus, mating habits, 957
Cranberry fruit worm, ryania for control of, 112
Cryolite to control tomato pests, 884
Cryptochaetum iceryae, 742
Cryptochaetum sp., 750
Cryptolaemus montrouzeri, 750
Cryptolaemus, for mealy bug control, 755
Cryptophagus laticlavus injuring potatoes, 230
Cube in oil for citrus blackfly control, 769
Cucurbits, phytotoxicity of new insecticides to, 14
Culex pipiens, 37, 527
Culex restuans, 37
Cytochrome oxidase and house flies, 832

2,4–D in oil sprays, 758
Dacus dorsalis, 746
Dairy Barns, fly control in, 510
DDT, absorption and metabolism of by house flies, 214
in fly control treatments, 853
longevity of in crops, 90
DDT, persistence of effect of on Japanese beetle larvae, 87
DDT, susceptibility of bees to, 59
DDT to control alfalfa weevil, 374
American dog tick, 698
black fly larvae in Alaska, 696
Clear Lake gnat, 378
flies breeding in poultry manure, 30
grape berry moth, 152
houseflies, 214
Japanese beetle, 586
Japanese beetle larvae, 87
meadow spittlebug, 889
melon fly, 879
mosquitoes, 37, 516
mosquito larvae in Alaska, 350
onion thrips, 909
peach tree borers, 315
spittlebugs, 889
tomato insects, 884
DDT and analogs, toxicity to house flies, 393
DDT and methoxychlor to control strawberry weevil, 222
DDT and sulphur dusts to control onion thrips, 11
DDT concentrated sprays to control scolytus and Dutch elm disease, 110
DDT dust to control corn earworm 1,

DDT dosage and wheat yields, 565
pink boll worm, 491
DDT-resistant in salt marsh mosquitoes, 506
DDT-resistant flies, 105, 527, 721, 937
mosquitoes, 527
DDT, in milk, 656, 723, 850
DDT, on peanut hay, 943
DDT residues in soil, 942
on ticks, 861
DDT-oil emulsion to control earworm and corn borer, 734
DDT-xylene emulsion for pea aphid control, 955
Dichlorodiphenyl dichloroethane, longevity on crops, 90
to control tomato pests, 884
DFDT to control tomato pests, 886
Dermacentor variabilis, 698
effect of DDT residues on, 861
Diabrotica undecimpunctata, 14, 22
Diareurodes citrifolii, 742, 747
Dieldrin to control boll weevil, 892
cabbage maggot, 900
cotton insects, 590
house flies, 856, 864
onion thrips, 911
onion maggot, 951
plum curculio, 845
spittlebugs, 888
2-nitro-1,1-bis (*p*-chlorophenyl) butane 2.5, 886
2-nitro-1,1-bis (*p*-chlorophenyl) propane 2.5, 886
2,4-dinitro-6-cyclohexyl phenol (for citrus mite control), 756
Ditityl trichlorethane, to control cabbage maggot, 900
house flies, 854
Dog tick, American, controlled by DDT, 698
Dragon fly, feeding on cankerworms, 398
Dry aerosols from organic insecticides, 542
Dusts, for Mexican bean beetle control, 188
for pea aphid control, 642
Dutch elm disease, concentrated sprays to control, 110

Ecological investigations in citrus, 753
Eddy, Brayton, obituary note, 573
Elm, leafhoppers on in California, 565
Scolytus control in, 597
Empoasca bipunctata, introduced in California, 565
Empoasca fabae and hopperburn on potatoes, 484
Empoasca lybica, 627
Entomogenous fungi, 751
attacking purple scale, effect of sulphur on, 712
attacking scale insects and rose mites on citrus, 305
in Pacific Northwest, 704
Entomologists and the International Health Program, 229
and Plant Pathologists, working relations of, 114
Entomology, extension, 736
Entomology of Citrus, 747
Ephestia cautella, 733
Epilachna varivestis, 188, 338
Epitrix hirtipennis, 641
Eradication campaigns, 746
Eretmocerus serius, 380, 751
in Cuba and Mexico, 767
Eriosoma lanigerum, 463
Estigmene acrea, 592
European corn borer, 407, 415, 422, 433
oviposition and survival of, 17
rearing of larvae, 4
European red mite control, 172, 220, 637
Evaluation of small scale tests on corn borer, 433

Fall army worm control, 726
Fannia pusio, 31
Fecundity of tephritid species increased by food, 735
Feltia subterranea, 646
Fig scale, sprays for, 730
Flat grain beetle, rearing methods, 735
Flea beetles, observations of, 581
Flea beetle parasites, 581
Flies, control by DDT, 30
Flies, control by space spraying, 849
Flies, species collected in dairy barns, 847
Flies, studies of in chicken manure, 30
Florida red scale, 742
Forbes scale a peach pest, 398
Flower thrips, 744
Fly pupae, cleaning by air separation apparatus, 228
Foreign exploration for beneficial insects, 752
Foulbrood, American, bee resistance to, 562
Foxglove aphid, control of, 627
Frankliniella tritici, 744
Fumigation of citrus, 761
Fumigation with methyl bromide for white-fringed beetles, 25
Fungi, entomogenous, 704
attacking scales and mites on citrus, 305

Gaddis, Bevy Marshall, obituary, 571
Garden pests, control by liquefied gas aerosols, 194
Glypta fumiferanae, parasite of spruce budworm, 777
Gnat, clear lake, control of, 328
Gnorimoschema operculella, 341, 396
Grapholitha molesta, 315
Grape berry moth, control by DDT, 152
Grape berry moth, insecticides for, 76
Graphognathus spp., 25
Grasshopper control, in alfalfa seed fields, 185
Green June beetle, control of, 295
Gypsy moth control tests, 325

Habrolepis rouxi, 753
Halticus bracteatus, 641
Hay yields after control of spittlebugs, 7
Heliopsis longipes, 554
Heliopsis sp., insecticidal action of, 554
Heliothis armigera, 1
control on tomatoes, 883
Heliothis virescens, 592
Helix aspersa, 756
Helix pisana, 749
Heptachlor to control onion maggot, 951
onion thrips, 910
turf insects, 391
Hermetia illucens, 31
Hirsutella Besseyi, 752
Hirsutella Thompsoni, 752
Hoidale, P. A., note, 773
Holly leaf miner, control of, 63
Homoeosoma electellum, injury to citrus, 948
Honey, fermentation of in hive, 538
Honey bees and wild bees, susceptibility of to DDT, 59
Honey bees, toxicity of insecticides to, 333
Honey bee resistance to American foul brood, 562
Honey locust, mite species on, 397
Hoplia oregona, larvae on strawberries, 107
Horn fly, bentonite sprays to control, 111
control, 557
Hornworms, control on tobacco, 221
Horogenes cacoecia, parasite of spruce budworm, 777

Host-ectoparasite relations, 385
House flies, cytochrome oxidase activity of, 832
DDT-resistant and non-resistant, 721
exposure of to pyrethrum residues, 832
insecticidal control of, 858
resistance of to insecticides, 832
toxicity to of DDT and other insecticides, 393
House flies and larvae resistant to DDT, 105
House flies and mosquitoes resistant to DDT, 527
House fly, control of by space spraying, 846
control in dairy barns, 510, 852
effect of temperature, humidity and weathering on, 864
insecticides for, 562
toxicity of organic insecticides to, 864
unpublished data on, by G. W. Barber, 390
Howard, Leland Ossian, Obituary, 958
Howardia biclavis, 745
Hydrocyanic acid fumigation, 744, 745
for citrus, 759
Hyalastinus obscurus, 82
Hylemya antiqua, control of, 951
Hylemya brassicae, control of, 899
Hylobuis radicis, 684
Hymenia fascialis, control on spinach, 108
Hypera postica, 374

Icerya purchasi, 742, 750
Illinoia solanifolii, 340
Insect control, trends in, 570
Insect eggs on airplanes, 555
Insect pests, control through nutritional requirements, 399
Insect populations, estimation of, 731
Insect transportation by airplanes, treatment to prevent, 66
Insecticidal activity in relation to molecular weight, 938
Insecticidal effectiveness, 503
Insecticide application equipment for citrus, 761
Insecticide residues, loss from treated plants, 919
Insecticides, absorption and translocation in plants, 338
and peach flavor, 179
chlorinated, toxicity of to livestock, 358
compatibility of, 645
effect of on flavors, 498
effect of temperature on toxicity of, 559
injected, temperature and toxicity of, 663
method of comparing toxicities of, 45
organic, toxicity to honey bees, 333
phytotoxicity of new, to cucubits, 14
toxicity of and climate, 602
Insectivorous birds attacking spruce budworm, 779
Insects, common names of, 117
International health program and entomologists, 229
Iridomyrmex humilis, 754
Iris whitefly on potatoes, 394

Japanese beetle, control of by DDT, 586
Japanese beetle grubs, insecticides to control, 936

Laemophloeus minutus, 735
Laphygma exigua, control on tomatoes, 883
Laphygma frugiperda, 726
Latrodectus mactans, 343
Lead arsenate in control of Japanese beetle larvae, 936
Leafhopper transmission of blueberry stunt disease, 658
Leaf miner, serpentine, on pepper, 732
Legal entomology, 744
Lepidoptera, Frank Morton Jones collection of, 891
Lepidosaphes beckii, 299, 712, 742
Lepidosaphes ficus, 730
Lepidosaphes gloveri, 743
Lindane to control cabbage maggot, 900
DDT-resistant flies, 937
meadow spittlebug, 888
tomato pests, 885
Lindane in fly control, 854, 859, 864, 937
Lindane vapor, toxicity of to insects, 223
Lindorus lophanthae, 788
Liquefied gas aerosols for home gardens, 194
to control citrus red mite, 946
garden pests, 194
Liriomyza pusilla, 732
Livestock, toxicity to of chlorinated insecticides, 358
Livestock pest control, contamination by insecticides, 649
Levin, Marshall D., note, 932
Lone star tick control, 520
Lounsbury, C. P., note, 532
Loxostege similalis, 592

McAloney, Harvey J., note, 876
Macrosiphoniella sanborni, 940
Macrosiphum pisi, 642
Macrosiphum rosae, 340
Mangos, control of red mite on, 377
Mason, Arthur Charles, obituary, 964
Meadow spittlebug, control of, 7
on alfalfa, 888
life history, 905
Mealybugs, biological control of, 750
Mediterranean fruit fly, 746, 747
education program, 748
Megachile brevis, 61
Melanoplus differentialis, 281
femur-rubrum, 185
Melissodes agilis, 61
Melittia cucurbitae, 480, 549
Melon aphid, 744
Melon aphid control, 444
Melon fly, applied ecology in control, 877
DDT in control tests, 879
Members, list of, 254
Members, foreign, 740
Metaphycus helvolus, 744
mass production of, 755
Methoxychlor, to control cabbage maggot, 900
house flies, 855
spittlebugs, 889
tomato insects, 884
Methyl bromide to control larva of white-fringed beetles, 25
Mexican bean beetle control by use of dusts, 188
Mexican fruit fly, 744, 747
Microtonus vittatae, 581
Microsiphum sanbornii, 388
Milk, DDT in, 656
Milk contamination by DDT, 723
Mineola vaccinii, 112
Mist blower for pea aphid control, 955
Mites, orchard, control of, 167, 309
Mites on honey locust, 397
Morgan, Harcourt Alexander, obituary, 964
Mosquito larvae, control with DDT in Alaska, 350
Mosquito repellents, 353
Mosquitoes, control by aerial sprays in Alaska, 347
pre-flood treatments with DDT for, 516
salt-marsh, aerial spray tests on, 506
thermal aerosols toxic to, 37
Mosquitoes and house flies resistant to DDT, 527

Musca domestica, 31, 214, 390, 510, 527, 562, 670
Myzus convolvuli, 627
Myzus persicae, 640

Nectria diploa, 752
Nicotine, synergists for, 533
Nitroparaffin insecticides and cotton insects, 560
Nomia melanderi, 59
North Central States Branch, Proceedings, 403
Nosema destructor, 97
Nysius californicus injuring cotton, 548

Oak lace bug, control of, 63
Oaks, control of Asterolecanium scales on, 494
Octamethyl pyrophosphoramide, translocation of by cotton plant, 620
  toxicity to cotton insects, 620
Oil concentration in dilute emulsions, 112
Oils, toxicity of to citrus blackfly, 686
Oncopeltus fasciatus reared on watermelon seeds, 386
Onion maggot, method of applying insecticides for, 951
Onion thrips, control with sprays, 908
  control with sulphur and DDT dusts, 11
  new insecticides for control of, 690
Oöcyte studies in codling moth, 729
Orange tortrix, 744
Orchard mites, control of, 167, 309
Orchestes pallicornis control, 948
Organic phosphates, toxicity of, 627
  toxicity of vapors to mites and chrysanthemum aphid, 940
Oriental fruit fly, 746
Oriental fruit fly, progress of research, 677
Oriental fruit moth larvae, effect of parathion on, 474
Orius insidiosus, an enemy of spider mites on cotton, 567
Orlon tent for HCN fumigation, 569
Ornamentals, control of insects on, 63
Osmia rufa, 59
Otobius megnina, 392
Oxygen penetration through petroleum oil, 503
Ozoganthus cornutus infesting avocado trees, 724

Pacific Slope Branch, Proceedings, 576
Parasite of citrus blackfly in Mexico, 380
Parasites of European corn borer, 427
Parasites of flea beetles, 581
Parasitic Hymenoptera, apomictic races of, 719
Parasitization of syrphid larvae, 109
Paratetranychus citri, 742
  control by liquefied gas aerosols, 946
  natural enemies, 807
Paratetranychus pilosus, 220, 309, 637
  yothersi, 377
Parathion, apple foliage and fruit injured by, 146
  effect of on insects within fruits, 474
  effect on larvae of codling moth within fruits, 949
  injury to plants, 471
  longevity of on field and vegetable crops, 90
  to control bagworms, 109
    cabbage maggot, 900
Parathion to control citrus blackfly, 769
  citrus pests, 761
  house flies, 864
  Japanese beetle larvae, 936
  plum curculio, 845
  spittlebugs, 889
Parathion and calcium arsenates, compatibility of, 645
Parathion injury to apple foliage and fruit, 146
  residues on peanut hay, 943
  translocation of, 708
Parathion-resistant red spiders, 53
Parathion and oil to control California red scale, 610
Parlatoria pergandii, 744
  in Mexico, 770
Pea aphids, control by dusts, 642
  control with mist blower, 955
Peach, flavor infected by insecticides, 178
Peach, Forbes scale as a pest of, 398
Peach orchards, control of insects in sod, 164
Peach tree borer, control of, 315
Peanuts, southern corn rootworm attacking, 22
Pecan weevil control, 552
Pectinophora gossypiella, 491
Pepperrs, serpentine leaf mider control on, 732
Peridroma margaritosa, 592
Peterson, Alvah, Book Review, 957
Petroleum oil layers penetrated by oxygen, 503
Petroleum oil, to control scale, 557
Petroleum oil sprays, for citrus insect control, 758
Philaenus leucophthalmus, 7, 731, 888, 905
  control on alfalfa, 888
Phosphates, organic, radiobiological study of, 319
Phosphorus compounds, toxicity of, 281
Phosphorus and sulphur, compounds of for citrus insect control, 614
Phyllocoptruta oleivora, 299, 742
Phyllotreta bipustulata, 582
  striolata, 581
  vittata, 581
  zimmermanni, 582
Pine root collar weevil, control of, 684
Pink bollworm control in Mexico with DDT, 491
Pink scavenger worm, 756
Piperonyl butoxide and pyrethrins to control rice weevil, 371
  in fly control, 859
Plant Quarantine, 745
Plum curculio control on peach, 843
  effect of parathion on larvae of, 474
  insecticides for control of, 70, 73, 157
Podonectria coccicola, 743
Pollen germinating ability of frozen apple, 547
Polychrosis viteana, 76, 152
Popillia japonica, 87, 586
Porthetria dispar, 325
Potato flavor and benzene hexachloride, 109
Potato insects, control of with insecticides, 176
Potatoes injured by *Cryptophagus laticlavis*, 230
Potatoes, iris whitefly control on, 394
Potato leafhopper and hopperburn, 484
Potato tuberworm, control in California, 396
Potatoes and tomatoes flavored by benzene hexachloride, 498
Proceedings—American Association of Economic Entomologists, 235
  Eastern Branch, 232
  Northwest Vegetable Insect Conference, 234
Profenusa collaris, 694
Protoparce sexta, 221, 641
Protoparce spp., control on tomato, 883
Psallus seriatus, 282, 596
Pseudococcus citri, 627, 750
Pseudococcus gahani, 744, 750
  longispinosus, 751
  maritimus, 751
    on pears, 94
Pulvinaria sp., control of, 63
Purple mite, 742
Purple scale, 742, 744

Purple scale, changes in population following sprays, 298
entomogenous fungi on, 712
Pyrausta nubilalis, 4, 17, 340, 407, 415, 422, 433, 708, 734
Pyrenone concentrate for fly control, 849
Pyrethrum in fly control, 859
Pyrethrum residues, exposure of house flies to, 653
Pyroderces rileyi, 756

Quarantine, foreign plant, 139
Quarantine orders, 746

Radiobiological study of organic phosphates, 319
Radioisotopes in entomology, 403
Rats, brown dog tick on, 722
Rearing method for flat grain beetle, 735
Red mite control on avocados and mangos, 377
Red mites, factors affecting, on pears, 819
Red spiders resistant to parathion, 53
Red spiders, toxicity of herbicides to on strawberry, 568
Repellents, for American dog tick, 41
for mosquitoes, 353
for sand flies, 353
Residues of insecticides, longevity of, 90
on citrus trees, 298
Reticulitermes flavipes, 59
Rhinoceros beetle on sugar-cane, 385
Rhipicephalus sanguineus, 722
Rhodes grass scale control with oil emulsion, 386
Rice weevil, control, 371
ecological studies of, 203
Oviposition sound and unsound wheat kernels, 390
Rocky Mountain Conference to Entomologists, 966
Rodolia cardinalis, 742, 750
Rufus scale, 746
Rust mite, change in populations following sprays, 298
Ryania for cranberry fruitworm, 112
Ryania dusts, activation of, 161

Saissetia oleae, 744, 751
Salt-marsh mosquitoes resistant to DDT, 506
Sand fly repellents, 353
Sanders, James G., note, 414
Sanninoidea exitiosa, 315
Sarcophaga knabii, 31
peregrina, 30
Scales on citrus, 742, 743
Scaphytopius magdalensis, 658
verecundus, 658
Scirtothrips citri, 742
Scolytus, concentrated DDT sprays for, 110
Screwworm survey in western United States, 387
larvicides, laboratory testing method for, 558
Selenaspidus articulatus, 746
Septanychus sp., 309, 592
Sex-attractant traps for gypsy moth, 325
Simulium spp., 696, 702
Siphona irritans, 557
Sitophilus oryzae, 203, 371, 390
Six-spotted mite, 742
Slide coatings for aerosol droplet collection and preservation, 953
Snail, mexican brown, 756
Sod webworm, mating habits of, 957
Soft brown scale, 744
Somatium oviformis and citrus red mite, 808
South American fruit fly, 746
Southern corn rootworm, biological control of, 22
Space spraying for fly control, 846
Sphaerostilbe auranticola, 752
Spider mite on cotton, 614
control of, 620
enemy of, 567
Spider mite, two-spotted, control of, 561
Spinach, *Hymenia fascialis* on, 108
Spinose ear tick in Florida, 392
Spiraea aphid, 742
Spittlebugs, estimates of populations, 731
Sprays for grasshopper control, 185
Spraying corn with high clearance ground machinery, 198
Spruce budworm, entomophagous enemies, 776
insectivorous birds attacking, 779
natural control factors, 774, 782
parasites, 777
Squash vine borer, biology of, 481
reaction to soil treatments, 549
Stable flies, insecticide control of, 858
Stethorus picipes and citrus red mite, 808, 826
Stomoxys calcitrans, 31
Strataegus barbigerus, 385
Strawberry infested with larvae of *Hoplia oregona*, 107
Strawberry, toxicity of herbicides to red spider on, 568
Strawberry weevil, control with DDT and Methoxychlor, 222
Sugar cane rhinocerus beetle, 385
Sulphur and DDT dusts for onion thrips, 11
Sulphur and entomophagous fungi in control of purple scale, 712
Sulphur and phosphorus compounds to control cotton insects, 614
Sunflower insect control, 181, 477
Sunflower moth injury to citrus, 948
Swamp mosquito, habitats of eggs, 547
Sweet corn, earworm control of, 364, 430
Symons, T. B., note on retirement, 487
Synergists for nicotine, 533
Syrphid larvae parasitized, 109

Trichlorodiphenyl dichlorethane to control clear lake gnat, 328
excretion of in milk from treated cows, 850
Telford, Paul E., Obituary, 405
Temperature, effect of on toxicity of insecticides, 559
Temperature and toxicity of injected insecticides, 663
Tephritid species, fecundity increased by food, 735
Termite, eastern, toxicity of insecticides for, 57
treatment with chlordane, 107
Tetraethyl pyrophosphate for pea aphis control, 955
Tetragoneuria cynosura, 398
Tetranychid mites, taxonomy of, 952
Tetranychus bimaculatus, 167, 309, 561, 627, 633, 727, 819, 838, 900
control with azobenzene, 838
Tetranychus ellipticus, 397
opuntiae, 614
praetiosus, 751
sex-maculatus, 742
Texas citrus mite, 744
Thrips tabaci, 11, 690, 909
Thyridopteryx ephemeraeformis, 109
Tick, American dog, repelled by treated clothing, 41
Tick, lone star, control of in Texas, 520
Tobacco, control of *Cotinus nitida* on, 295
control of hornworms on, 221
Tobacco insects, control of, 640

Tomato, injured by parathion and related compounds, 471
Tomatoes and potatoes flavored by benzene hexachloride, 498
Tomato fruitworm control in California, 882
Tomato insect control, 883
Toxaphene to control boll weevil, 447, 892
  house flies, 859
  Japanese beetle larvae, 936
  onion thrips, 909
  spittlebugs, 889
  tomato pests, 884
Toxaphene residues on peanut hay, 943
Toxicity and temperature of injected insecticides, 663
Toxicity index, improved method, 45
Translocation of insecticides in plants, 338
  parathion, 708
Traps, gypsy moth, 325
Tribolium castaneum, attraction of flour to, 927
Triphleps sp., predator on red mites, 826
Turf insects, new insecticides for, 391
Two-spotted spider mite, 627
  control of, 627
  reaction to acaricides, 950
  variations in populations, 633

Vedalia, 742
Volucella obesa, 31
Vorhies, Charles Taylor, obituary, 573

Wade, Joseph S., Note, 487
Wakeland, Claude, Note, 773
Walnut aphid control, 448
Walnuts resistance in codling moth control on, 383
Wehrle, Lawrence Paul, Obituary, 963
White-fringed beetle, methyl bromide control of, 25
White grub control in nurseries, 550
White-headed scale fungus, 743
White snail, 749

Yellow scale, 746